



CYLINDER

EXTREME SECURITY

Application

Integrated with Residential and Commercial door locksets.

Operation

Cam 360° rotation by operating Key or Thumbturn.

Materials

Body and Plug: Hardened Brass

Cam: Hardened Steel

Pins: Nickel Silver and Stainless Steel

Standard Finish

Bright Brass(US3) Satin Brass(US4)

Satin Nickel(US15)

Bright Chrome(US26)

Satin Chrome(US26D)

Bright Stainless Steel(US32)

Satin Stainless Steel(US32D)


Special Finish

Customized Finish available based on BHMA Finish Codes.

High Security Mechanism

Precision pin tumbler system.

Pick/Drill resistance for premium security requirement.



Mortise Cylinder



Interchangeable Core Cylinder



Dimension Chart:



PIN	L	
	Inch	mm
5	1"	25.4
6	1-1/8"	28.58
6	1-2/8"	31.75
7	1-3/8"	34.93
7	1-4/8"	38.1
7	1-6/8"	44.45
7	1-7/8"	47.63
7	2"	50.8
7	2-1/8"	53.98
7	2-2/8"	57.15
7	2-3/8"	60.33
7	2-4/8"	63.5
7	2-5/8"	66.68
7	2-6/8"	69.85
7	2-7/8"	73.03
7	3"	76.2
7	3-1/8"	79.38
7	3-2/8"	82.55

PIN	L	
	Inch	mm
6	1-2/8"	31.75
7	1-3/8"	34.93
7	1-4/8"	38.1
7	1-6/8"	44.45
7	1-7/8"	47.63
7	2"	50.8
7	2-1/8"	53.98
7	2-2/8"	57.15
7	2-3/8"	60.33
7	2-4/8"	63.5
7	2-5/8"	66.68
7	2-6/8"	69.85
7	2-7/8"	73.03
7	3"	76.2


※ Customized length available.




EXPLODED DRAWINGS

MORTISE
CYLINDERINTERCHANGEABLE
CORE (IC) CYLINDER


CYLINDER BASES



CAMS



BSI KEY SYSTEM




COMMON ACRONYMS

GGMK: Great Grand Master Key
MK: Master Key
KAA: Keyed Alike to a specific number
KD: Keyed Different
SKA: Single Keyed Alike

GMK: Grand Master Key
NMK: No Master Key
KA: Keyed Alike
X: Cross Keyed
SKD: Single Keyed Different



BSI AGENT



BSI Security Co., Ltd.

E-MAIL: sales@bsi-hardware.com

WEBSITE: www.bsi-hardware.com